



Standard Guide for Terminology Relating to Candles and Associated Accessory Items¹

This standard is issued under the fixed designation F 1972; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This guide defines standard terms used to describe candles and associated accessory products.

2. Terminology

2.1 *candle, n*—one or more combustible wicks supported by a material that constitutes a fuel which is solid, semi-solid, or quasi-rigid at room temperature, 68° to 80°F (20 to 27° C); it can also contain additives that are used for color, odor, stability, or to modify the burning characteristics; the combined function of which is to sustain a light-producing flame.

2.1.1 *filled candle, n*—a candle produced and used within the same vessel.

2.1.2 *freestanding candle, n*—a rigid candle (that is, pillar-shaped, column-shaped, or figurine) recommended to be used on a heat-resistant, nonflammable surface or on a candle accessory.

2.1.3 *taper candle, n*—a slender candle produced to be used with a candle accessory for support.

2.1.4 *tealight candle, n*—a cylindrical filled candle produced with a diameter and height of approximately 1.5 in. (38 mm) and 0.75 in. (19 mm) respectively

2.1.5 *votive candle, n*—a candle produced for use fully within a candle accessory, specifically, a votive holder.

2.2 *candle accessory, n*—an object designed for use with a candle.

2.2.1 *votive holder, n*—a small open vessel designed to hold a votive candle during use; the votive holder shall be capable of containing the melted candle.

2.3 *gel type candle, n*—a candle where the primary fuel is a liquid, such as mineral oil, terpene type chemicals, or modified hydrocarbons that are not mineral oil based, which may or may not contain organic functional groups; it also contains a chemical agent to increase the viscosity (thicken) to a point where the candle has a quasi-rigid property.

2.4 *wax, n*—a solid or semi-solid material consisting of a mixture of hydrocarbons or hydrocarbon derivatives, or both.

2.5 *wax candle, n*—a candle that contains animal wax, insect wax, petroleum wax, synthetic wax, or vegetable wax as the primary fuel.

2.6 *wick, n*—an object that delivers fuel to a flame through the process of capillary action.

3. Significance and Use

3.1 This guide is used to establish a set of definitions that allows manufacturers, consumers, retailers, and the scientific community to use a common language to define candles and associated accessory items.

4. Keywords

4.1 candle; flame; wick

¹ This standard is under the jurisdiction of ASTM Committee F-15 on Consumer Products and is the direct responsibility of Subcommittee F15.45 on Candle Products.

Current edition approved June 10, 1999. Published August 1999.

The American Society for Testing and Materials takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org).